

Text SMS API

API URL (GET & POST) :

[https://isims.nextzen.com.bd/smsapi?api_key=\(APIKEY\)&type=text&contacts=\(NUMBER\)&senderid=\(Approved Sender ID\)&msg=\(Message Content\)](https://isims.nextzen.com.bd/smsapi?api_key=(APIKEY)&type=text&contacts=(NUMBER)&senderid=(Approved Sender ID)&msg=(Message Content))

Parameter Name	Meaning/Value	Description
api_key	API Key	Your API Key
type	text/unicode	text for normal SMS/unicode for Bangla SMS
contacts	mobile number	Exp: 88017XXXXXXXXX+88018XXXXXXXXX+88019XXXXXXXXX...
msg	SMS body	N.B: Please use url encoding to send some special characters like &, \$, @ etc
label	transactional/promotional	use transactional label for transactional sms

Your API Key : **Key**

JSON data format :

Many To Many JSON Format

```
{
  type : "post",
  url : "https://isims.nextzen.com.bd/smsapimany",
  data : {
    "api_key" : "{your api key}",
    "senderid" : "{sender id}",
    "scheduledDateTime" : "{schedule date time}",
    "messages" : [
      {
        "to" : "88017xxxxxxxx",
        "message" : "test sms content ..."
      },
      {
        "to" : "88018xxxxxxxx",
        "message" : "test sms content ..."
      }
    ]
  }
}
```

One To Many JSON Format

```
{
  type : "post",
  url : "https://isims.nextzen.com.bd/smsapi",
  data : {
    "api_key" : "{your api key}",
    "senderid" : "{sender id}",
    "type" : "{content type}",
    "scheduledDateTime" : "{schedule date time}",
    "msg" : "{your message}",
    "contacts" : "88017xxxxxxxx+88018xxxxxxxx"
  }
}
```

PHP Source code :

Many To Many PHP Format

```
<?php
function send_sms() {
    $url = "https://isms.nextzen.com.bd/smsapimany";
    $data = [
        "api_key" => "{your api key}",
        "senderid" => "{sender id}",
        "messages" => json_encode( [
            [
                "to" => "88017xxxxxxxx",
                "message" => "test sms content ..."
            ],
            [
                "to" => "88018xxxxxxxx",
                "message" => "test sms content ..."
            ]
        ])
    ];
    $ch = curl_init();
    curl_setopt($ch, CURLOPT_URL, $url);
    curl_setopt($ch, CURLOPT_POST, 1);
    curl_setopt($ch, CURLOPT_POSTFIELDS, $data);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
    $response = curl_exec($ch);
    curl_close($ch);
    return $response;
}
?>
```

One To Many PHP Format

```
<?php
function send_sms() {
    $url = "https://isms.nextzen.com.bd/smsapi";
    $data = [
        "api_key" => "your_api-key",
        "type" => "{content type}",
        "contacts" => "88017xxxxxxxx+88018xxxxxxxx"
        "senderid" => "{sender id}",
        "msg" => "{your message}",
    ];
    $ch = curl_init();
    curl_setopt($ch, CURLOPT_URL, $url);
    curl_setopt($ch, CURLOPT_POST, 1);
    curl_setopt($ch, CURLOPT_POSTFIELDS, $data);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, false);
    $response = curl_exec($ch);
    curl_close($ch);
    return $response;
}
?>
```

Credit Balance API

API URL : [https://isms.nextzen.com.bd/miscapi/\(API Key\)/getBalance](https://isms.nextzen.com.bd/miscapi/(API Key)/getBalance)

API URL : **Your API Key**

Delivery Report API

API URL : [https://isms.nextzen.com.bd/miscapi/\(API Key\)/getDLR/getAll](https://isms.nextzen.com.bd/miscapi/(API Key)/getDLR/getAll)

API URL : **Your API Key**

Chunk per Call: 100

SMS Shoot ID Enter the SMS ID returned when submitted SMS via API. It will return an array having mobile numbers and their DLR status.

API URL : [https://isms.nextzen.com.bd/miscapi/\(API Key\)/getDLR/\(SMS SHOOT ID\)](https://isms.nextzen.com.bd/miscapi/(API Key)/getDLR/(SMS SHOOT ID))

Inbox Reply API

API URL : [https://isms.nextzen.com.bd/miscapi/\(API Key \)/getUnreadReplies](https://isms.nextzen.com.bd/miscapi/(API Key)/getUnreadReplies)
API URL : Your API Key

API Key Retrieval

API URL : [https://isms.nextzen.com.bd/getkey/\(username\)/\(password\)](https://isms.nextzen.com.bd/getkey/(username)/(password))
Username : Your account User ID used to login.
Password : Account password that you use to login.

Error Code & Meaning

Error Code	Meaning
1002	Sender Id/Masking Not Found
1003	API Not Found
1004	SPAM Detected
1005	Internal Error
1006	Internal Error
1007	Balance Insufficient
1008	Message is empty
1009	Message Type Not Set (text/unicode)
1010	Invalid User & Password
1011	Invalid User Id
1012	Invalid Number
1013	API limit error
1014	No matching template